





Are you active in horticulture? Or are you a rental specialist or arborist? Then you have come to the right place! Jo Beau has a varied range of robust and professional shredders, invariably equipped with the innovative Jo Beau Drum Technology™. And the advantages?

### WOODCHIPPERS WITH JO BEAU DRUM TECHNOLOGYTM: HOW DOES IT WORK?

The renowned Jo Beau Drumtechnology™ can be found in our Jo Beau wood chippers, ensuring the simplest and most profitable way of chipping. Thanks to its unique design, both the branches as the green can be introduced in an ergonomic way, and afterwards the unique wood chips are blown off powerfully. The most obvious features are the unmatched working speed, the ergonomics and the minimum maintenance costs. Moreover, our chippers are very compact, with a very high power. Thanks

to the compact format, our chippers are fit for each small door and opening. This ensures that you do not have to carry the garden waste through the house, but you chip it on the spot in the garden. This results in an enormous gain of time, and as you know: 'time is money'.

All Jo Beau chippers are designed and manufactured inhouse. This also applies to our unique chipper knifes, integrated in the technology.



4 | CATALOGUE JO BEAU | 5



# **200-SERIES**

### **COMFORT & ERGONOMICS**

The **Jo Beau 200 series** woodchippers are compact, light but robust professional chippers equipped with **large pneumatic tyres** for **easy manoeuvrability**. The voluminous infeed hopper is at hip height for the most ergonomic infeed of branches and greenery. With a chipping capacity of up to **6cm** (2.36 In) in diameter -resulting in **2.5m**<sup>3</sup> (88.29 ft<sup>3</sup>/h) of chipps per hour-this woodchipper meets all the requirements for the demanding garden lover and professional.

#### **CAPACITY**

Thick and highly staggered branches with accompanying greenery are effortlessly and automatically pulled into the wide feed-in opening of the wood chipper by the unique **Jo Beau® drum technology<sup>TM</sup>**. The high speed of the knife drum not only ensures an unprecedented processing speed but also ensures that the beautiful wood chips are catapulted upwards out of the machine. In short, the Jo Beau drum technology<sup>TM</sup> takes care of three things: pulling in the branches and greenery, chipping the branches and ejecting the woodchips upwards. Simplicity is our trump card!

## **M200**

This Jo Beau pro chipper is driven by a powerful **9HP Honda GX270 engine** and can therefore be used very flexibly by both the hobby gardener and the professional user. You will effortlessly get to any place, through all doors and garden gates.


### **E200**

Thanks to its **5.5Kw** powerful electric motor and its **0% CO2 emission**, the E200 is perfect for use **inside buildings**, conservatories or just as much for outdoor work.









# **300-SERIES**

#### INFEED OPENING AND VOLUME

The **Jo Beau 300 series** chippers with their robust design & compact dimensions are a fixed value for the garden contractor who wants to process branches with a large capacity.

The low, ergonomic hopper guarantees smooth branch processing with a **diameter of 8 to 10 cm** - depending on the type of wood - up to an average capacity of **5m³** (176,57 ft³/h) of wood chips per hour! The knife drum is equipped with two rotating knives, which ensure uniform and aesthetic chippings that can be used as a gardener in any garden and can thus be left behind at the customer's premises.

#### TAILOR-MADE FOR THE USER

Every customer is unique! That's why everyone can **personalise their appliance** with the various options available such as the removable ejector tube, swivel or high swivel ejector tube, lifting eyes, leading wheel, leakproof wheels, lifting bar, pull rod or maintenance meter depending on the model of wood chipper!!

#### SHRED DISPOSAL

All Jo Beau woodchippers (with the exception of the W300) are equipped with an upright ejector chute as standard. After chipping, the woodchips and associated greenery are catapulted upwards by the **Jo Beau® drum technology<sup>TM</sup>**. In this way, the chips can be immediately blown as a mulch layer into a flower border or onto the compost heap. **Saving time** is the biggest trump card here. You eject the chips with the greatest simplicity onto a trailer, wheelbarrow or into a container.

## M300

Equipped with a powerful 13 HP Honda GX390 engine and its compact width of 72cm, the M300 pro-chipper has been the top of the range since the creation of Jo Beau.

The M300 'Rental Line' is an M300 specifically built to the needs

The **M300 'Rental Line'** is an M300 specifically built to the needs of rental companies! Easy to use, robust construction & minimum maintenance are central.

### E300

The **CO2-emission-free** E300 with its **11Kw** powerful electric motor is the best option for **indoor use**. When the motor is activated, a **minimum of decibels** is released, making working with this powerhouse even more pleasant.









## **H300 WOODCHIPPER**

### W300 WOODCHIPPER

## **T300**

The **PTO driven** T300 pro-chipper has been specially designed by Jo Beau® for tractors or other implement carriers with power take-off (pto/cardan). The recommended tractor power for the T300 is from **16 hp up to 30 hp**. The achievable branch diameter depends on this.

By means of the optional lifting kit, the shredder can be lifted and connected to a trailer (read: not to the chipper construction).

If you want to couple the T300 to a tractor with more power, Jo Beau® recommends the use of a universal joint shaft with torque limiter

## **R300**

The R300 pro-chipper has been specially designed by Jo Beau® for **tool carriers with a mono-axis** from **16 HP**. By mounting a suitable coupling for the motor cultivator, it can be used anywhere in combination with the chipper.

# **H300**

The hydraulic function at the front or rear of the tool carrier allows easy use of a **hydraulically driven woodchipper**. The Jo Beau H300 is the perfect example of this. The chipper clicks into the pick-up system of the multifunctional loader to guide itself through rough terrain with the greatest of ease. The woodchipper requires a minimum (or more) 'hydraulic power' of **13 HP**. (L x BAR / 450 = hp) of the tool carrier.

## **W300**

Jo Beau makes it possible to make an easy transition from mowing grass to shredding branches, with Walker's seasonal attachment 'W300 wood chipper'.

The W300 is a 100% compatible accessory for the Walker rideon mower with collection tray (from 16 hp). The knife drum that automatically pulls in the branches and associated green waste without feed rollers is driven by the cardan of the front mower. The wood chips and other chipped green waste are collected in the mower's collector and can be easily and neatly dumped in a trailer or on a compost heap.









# **400-SERIES**

#### INFEED OPENING AND VOLUME

Remarkable with the **Jo Beau 400 series** is the **wide infeed opening** of 69cm for processing even larger volumes of side branches and accompanying greenery in combination with its 20 HP strong engine. The various options such as: removable piece for the rotating ejector chute, high rotating churte, leakproof wheels front and rear make the M400 extremely suitable for gardeners, tree caretakers and rental companies.

#### **EXTRA POWER**

Jo Beau chooses a **20 HP strong Honda GX630** that belongs in the top segment of the **2 cylinder 4-stroke engines**. The engine is also equipped with an **electric start** and hour counter. The wider knife drum provides extra weight and power during chipping.

#### **FUEL TANK**

The separate 10-litre metal jerry can avoids the risk of fire when filling up with petrol, which once again highlights Jo Beau's safety standard. Switching an empty jerry can with a full one is done in no time. Everything remains clean and spilling petrol is a thing of the past.

# M400

The **Jo Beau M400** is a bit heavier (220kg) due to its robust design. That is why the M400 is fitted with two large lawn tyres in combination with two pivoting castors. This guarantees **stability** and **manoeuvrability**. Optionally, the wheel sets can also be obtained leak-free. The M400 is also equipped with a solid brake. This can easily be switched on and off by hand.

# **M400 HIGHWAY**

The compact size and handling of the M400 shredder is the ideal solution for many garden contractors. Many gardeners prefer to choose for a model mounted on a galvanised and sprung trailer chassis. That is the reason why Jo Beau has developed the M400 'Highway<sup>TM'</sup>.

The gross payload of this EU homologated trailer is only 750kg (1650 Lbs). Anyone with a car licence can tow the machine. The weight distribution ensures good stability and roadholding. Once disconnected from the vehicle, the trailer can easily be moved by hand.







**M500-SERIES** 

### **DESIGN & DEVELOPMENT**

When Jo Beau thought about what the perfect chipper for the garden contractor had to look like, we soon realised that it had to be designed & produced to meet all the challenges of the **urban environment** with style and comfort. Made from **special materials** and with maximum attention to detail and quality, it had to be perfect for all working conditions.

### **EFFICIENCY VS. FLEXIBILITY**

A high efficiency with a voluminous machine is a logical marriage. But not a good solution for garden contractors whose jobs are behind a garden gate. The idea is to use a powerful machine in the garden to drive up to the pruning waste and chip

### **SAVE TIME**

Cleaning up pruning waste is a time-consuming and loss-making task, but unavoidable!

That is why Jo Beau is the founder of the 'self-propelled compact drum chipper'. In this way, you save the time (and money) that you would otherwise spend taking pruning waste out of the garden, loading it in and taking it away.


With its total width of 72cm, 25 HP powerful Honda iGX800 engine and hydrostatic drive, the Jo Beau M500 is the shredder that comes through rough terrain & narrow aisles under its own power.

# M500

The M500 is equipped as standard with tractor profile tyres and a **rotating ejector chute**. This workhorse feels particularly at home in places where other shredders cannot reach. Railway verges, forests, orchards and vineyards... But also in 'normal' working conditions such as a garden, large or small, the M500 is a machine with unprecedented performance!



14 CATALOGUE JO BEAU CATALOGUE JO BEAU 15



### ATTACHMENT WOODCHIPPER

The machinery of many garden contractors nowadays also includes tractors and tool carriers, making an attachment chipper a perfect choice.

Jo Beau has designed two derived versions of his popular M500: the 'T500 PTO driven' shredder as well as the 'H500 hydraulically driven' version. Striking is the large feed-in opening of 790x520 mm.

# **T500**

Powered by the PTO at 540 or 750 rpm (depending on the thickness of the branches), the T500 is the tractor version of the self-propelled M500. The chipper, which consists of a sturdy chassis and **very wide feed hopper**, is attached to the 3-point suspension. The prescribed power of the tractor is from **30 hp up to 50 hp**. If the T500 is to be coupled to a tractor with more power, Jo Beau recommends the use of a PTO shaft with torque

# **H500**

The drive pulley on the H500 is equipped with a hydraulic motor. This is **driven by the hydraulic circuit of the tool carrier**.

The chipper can be connected by the pick-up system of the tool carrier. The H500 can be used everywhere where the loader can be used.

The woodchipper requires a minimum (or more) 'hydraulic power' of **24 HP** (L x BAR / 450 = HP) from the implement carrier. The Jo Beau® drum technology<sup>TM</sup> guarantees that branches with a diameter of up to 14 cm are effortlessly processed into decorative, even wood chips.



170° ROTATING CHUTE







Ø MAX. RECOM. DIAMETER 18 CM

# **M600-SERIES**

### **CHANGE OF MINDSET**

Innovating is sometimes about trying to change people's mindsets. That is exactly what we tried to do with the M600 GORILLA™. We stick to a compact design, but combine it here for the first time with large-diameter chipping!

80cm wide, yet chipping 18cm diameter wood.

#### **ERGONOMICS**

Shredding large diameters is a nice advantage as long as feeding the wood can be done ergonomically. We ensured that the feed hopper gets a **height adjustement** from inclined to horizontal so that, at the lowest position, the user can feed the branches ergonomically. This horizontal position then also requires a **feed roller** linked to an **anti-stress** system.

### STABILIZING X-TRACKS™

Even more remarkably, the Jo Beau M600 GORILLA<sup>TM</sup> is equipped with 'Stabilising X-tracks<sup>TM</sup>'. These are separate diagonally extending tracks that allow the machine to be set up in a compact yet stable way! But this also allows you to use this wood chipper on slopes and still keep the machine horizontal during the chipping itself!

This system disappears completely under the chassis once

The M600 comes with a radio remote control to move the machine & control the 'Stabilizing X-tracks $^{\text{TM}'}$  as well as the height adjustment of the feed hopper.





trackš



#### Farewell to the trees!

In his first designs with his Jo Beau Pro-Grinder technology™, Jo Beau focused on the heavy labour involved in grinding tree stumps. That is why we brought a very strong and compact stump grinder onto the market. The innovative design in two separate parts ensures that the physical effort involved in grinding stumps is reduced to a minimum. An indispensable element in your machinery!

### CHOOSING FOR THE JO BEAU STUMPGRINDERS

In order to limit the physical effort involved in grinding, Jo Beau devised a way of making the stump cutters out of two separate parts; namely a sturdy chassis that remains stationary with a slewing grinding arm above it. In this way, resistance to the user is minimised. An innovative and unique concept in the world of tree trunk grinding! Jo Beau offers both manual, semi automatic and fully automatic stumpgrinding.

Our stump grinders are designed and manufactured in-house from solid and high quality materials. In addition to our in-house designed stump cutters, we use the Greenteeth® grindteeth, of which Jo Beau is importer, on our machines.





### **MANUAL STUMPGRINDER!**

Right from their first model, Jo Beau developed their stump grinders with an innovative insight with the motto 'ergonomics and comfort'!

You secure the wheelbase by applying two brakes. In this way, the slewing ring is released and you **let the machine do the heavy work**.

The operating handlebar is easily **adjustable in height**. Depending on the physique of the operator and the working depth, the handlebar can be positioned higher or lower.

#### **TRANSPORT**

For transport, the operating handlebar can be fully folded, so that the machine is only 1 m58 (62.20 In) long.

#### **LAWN TYRES**

Stumps also need to be removed in finely finished gardens, both inside and outside the city. Thanks to the large pneumatic tyres, you can easily get through the garden **without damaging** it.

B13-90

The **Jo Beau B13-90** is a compact, handy, robust professional stumpgrinder.

With its 13 HP strong Honda GX390 engine equipped with a cyclone filter you have the perfect power to easily handle a working width of 90cm (35.43 ln)!

## **SEMI-AUTOMATIC STUMPGRINDER**

Jo Beau had a predetermined goal to develop a **narrow**, **hydraulically driven stumpgrinder**. We turned it into a 64cm (25.10 ln) narrow grinder of which the grinding arm can also be operated hydraulically left and right without any effort. This considerably increases the ease of use and is a lot more ergonomic.

Het bedieningsstuur kan ook compleet naar voor overgeklapt worden om het toestel compacter te maken tijdens transport of stockage.

### **DOUBLE WHEELS**

To guarantee stability on rough terrain, Jo Beau provides two optional wide tractor profile wheels. Thanks to a 'quick-mount system', they can be mounted or dismounted in no time at all without additional material.

#### **SAFETY**

It must be possible to remove stumps in complete safety. Jo Beau also pays extra attention to this. A deadman's handle over the entire shape of the operating handlebar and a separate function to activate the grinding disc are two good examples of this.

The control knob on the handlebar allows you to move the **handlebar up and down electrically** while milling without letting go of the handlebar.

A large rubber mudguard protects the machine operator from flying wood chips and shavings.

## **B24-100**

The powerful 2 cylinder **Honda GX690** engine with 24 hp cut away a stump **45cm** (17.71 ln) deep with a working width of **100cm** (39.37 ln) in no time. The grinding arm is moved hydraulically left and right from the control console. The grinding disc is equipped with eight rotating Greenteeth® grindteeth and rotates at a speed of 2950 rpm, 16.350 impacts per minute on the stump.

The operating handlebar can also be folded completely forward to make the unit more compact during transport or storage.







# **FULL AUTOMATIC STUMPGRINDER**

Remarkable about these unique machines is that they work fully automatic. After setting the desired working width according to the stump, the milling arm automatically swings from left to right and drops 2,5cm (1 ln) on its own. The operator only has to hold the deadman's handle and evaluate the work. Working even more ergonomically is not possible!

#### UNIQUE, MORE UNIQUE, MOST UNIQUE!

A machine is very often a reflection of the buyer himself. Anyone who opts for power, speed, ergonomics, safety & compactness chooses a lo Beau!

The 74cm (29.13 In) narrow machine of which each track is separately controllable, comes through every door or gate. The crawler carriage effortlessly makes its way through rougher terrain such as woods, railway verges & vineyards. The Jo Beau's have a low centre of gravity, which contributes to increased mobility and stability!

#### **TRANSPORT**

The operating handlebar can be rotated 90° to the left and right. This gives you a good overview of the stump and the grinding wheel during grinding. The grinder arm can be moved back and forth fully automatically or manually, hydraulically. It can be set completely upright as well. In this way, the stump grinder can be transformed into an incredibly short machine with a length of 164cm (64.50 ln). Ideal for transport or storage.

#### WIRELESS RADIO CONTROL

The B37-110 can also be equipped with a radio control. Jo Beau chose to work with the renowned brand Scanreco®. Thanks to the proportional valves and the choice of four driving speeds, you can steer the machine in a very controlled way. All manual functions can be activated on the console of the B37-110. The radio control is very ergonomic and also the automatic functions can be switched on and off. This ensures an unprecedented ease of use!



# B31-110

The Jo Beau B31-110 is a fully automatic stumpgrinder that offers the user the greatest ergonomics. The machine is driven to the stump, and the working width is adjusted in order to cut away the stump perfectly and without loss of time. This distance can easily be adjusted during the grinding process itself. After switching on the grind wheel, the 'automatic' function can be activated and the machine can do the heavy work.

### **B37-110**

On the **Jo Beau B37-110** we find the **37 HP EFI Vanguard** engine (Electric Fuel Injection).

The most striking differences with the B31-110 are the **double** working speed, a more powerful ecological motor & a specially developed grind disc '**GrinDisc**<sup>TM</sup>', equipped with 12 Greenteeth 900 series arindteeth.

900 series grindteeth.
On the B37-110, the user chooses - depending on the hardness of the stump - to automatically lower the grind disc by 2,5cm (1 In) on both the left and right. This makes the working speed unseen on a machine of its category!

### **B37-110RC**

RC stands for 'Radio Control' and that is, to put it mildly, a great added value! You can manoeuvre up to the mm/inch to pass narrow passages effortlessly. Thanks to the RC, there is no more vibration and you have good visibility of the work. You can move freely around the stump and adjust settings at the right time.











Thanks to his innovative attitude, Jo Beau brings out new products in his range every year. This is how the unique V460 came into being. The scarifier is equipped with our patented Greenknives® scarifier blades. This robust scarifier with its Jo Beau pro-scarifier technology $^{\text{TM}}$  is extremely user-friendly and can be personalised according to your needs and wishes. An indispensable element in your machinery as a garden contractor or rental company!

#### KEEP YOUR LAWN HEALTHY WITH THE JO BEAU SCARIFIER!

When mowing grass, a large part of the clippings always remains on the lawn. This layer, consisting of dead grass, leaves, moss and felt, becomes thicker and harder over time, which ultimately means that air can no longer reach the grass roots and your grass will therefore grow less well.

The Jo Beau scarifier helps get rid of this problem even before this damaging layer can become thick and hard. The scarifier removes this layer of felt from the lawn, giving the grass roots back access to the necessary air, water and nutrients.





# **TURF SCARIFIER**

### **MAXIMUM MANOEUVRABILITY!**

Airing the lawn once or twice a year at most. All gardens then have to be scarified in a very short period of time. Then you can do this better with a solid and reliable machine, such as the Jo Beau 'pro-scarifier'.

Only on the Jo Beau scarifier are swivel castors provided, these ensure maximum manoeuvrability. You drive perfectly around trees, along flower beds or fixed garden ornaments without lifting the machine!

#### **HEIGHT-DEPTH CONTROL**

The depth control of the machine can be adjusted with one lever.

Large alu wheels, wheel scrapers, a rubber mudguard, ergonomic height adjustment and depth adjustment of the knives as a folding handle are some technical features that are characteristic of the Jo Beau scarifier.

#### **GREENKNIVES®**

The revolutionary **Greenknives**® patented by **Jo Beau**® guarantee an unseen working time. By simply turning the knives a quarter turn, it is no longer necessary to dismantle the knife shaft to replace the knives. This saves time and working hours. The **Greenknives**® are available in a fixed or separate version. The knives are spiral mounted to avoid simultaneous contact with the lawn.

# **V460**

Professional gardeners and rental companies looking for a high quality, ergonomic scarifier bring a top machine into their home with the Jo Beau V460.

Compact, strong steel construction, foldable handle, ergonomic castors and knives with a very long service life must be convincing assets.

The blade housing, made of durable steel, guarantees both the durability and safety of the operator and bystanders.



# TECHNICAL SHEET WOODCHIPPERS

PERFORMANCE	M200	E200	M300	E300	T300	R300	H300	W300
Max. recommended diameter	60 mm	60 mm	80 mm	80 mm	80 mm	80 mm	80 mm	80 mm
Capacity chips (average)	2,5 m³/h	2,5 m³/h	5 m³/h	5 m³/h	5 m³/h	5 m³/h	5 m³/h	5 m³/h
Processing speed (average)	25m/min	25m/min	25m/min	25m/min	25m/min	25m/min	25m/min	25m/min

### **ENGINE**

Drive	Petrol engine	Electric engine	Petrol engine	Electric engine	PTO shaft tractor	Single-axis	Hydraulic	PTO shaft Walker mower
Brand & type	Honda GX270 1 cyl. 4-stroke	3x400V / 3x230V	Honda GX390 1 cyl. 4-stroke	3x400V / 3x230V	/	/	/	/
Power	6,3 kW (9 Hp)	5,5 kW	8,7 kW (13 Hp)	11 kW	Min. 16 Hp - max. 30 Hp	Min. 16 Hp	Min. 16 Hp (L x BAR / 450 = Hp)	Min. 16 Hp
Consumption	3,6 L/h	400 V/3~ 50 Hz - 10.5 A	3,5 L/h	400 V/3~ 50 Hz - 20.2 A	/	/	/	/
Noise level Lw(A)	110 dB(A)	/	115 dB(A)	/	/	/	/	/
RPM	3600	/	3600	/	540 - 750	/	/	/

### DESIGN

<del>_</del>								
Dimensions (LxWxH mm)	1780 x 620 x 1140	1780 x 620 x 1140	1820 x 720 x 1260	1820 x 720 x 1260	1470 x 690 x 1290	1280 x 660 x 1340	1470 x 690 x 1290	1470 x 960 x 1100
Feed height	810 mm	810 mm	790 mm	790 mm	790 mm	800 mm	840 mm	890 mm
Weight	105 kg	128 kg	145 kg	169 kg	169 kg	135 kg	175 kg	110 kg
Chipper Technology	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™
Chassis / Infeed hopper / Ejector chute	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel
Knives	2 hardened, reversable blades	2 hardened, reversable blades	2 hardened, reversable blades	2 hardened, reversable blades	2 hardened, reversable blades			
Counter blade	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)
Drum transmission	Industrial v-belt	Industrial v-belt	Double industrial v-belt	Double industrial v-belt	Double industrial v-belt	Double industrial v-belt	Double industrial v-belt	Gearbox
Feed intake opening (LxW)	490 x 490 mm	490 x 490 mm	590 x 520 mm	590 x 520 mm	590 x 520 mm	590 x 520 mm	590 x 520 mm	590 x 520 mm
Drive traction	/	/	/	/	/	/	/	/
Fuel supply	/	/	/	/	/	/	/	/
Brakes	/	/	/	/	/	/	/	/

30 | CATALOGUE JO BEAU | 31

# TECHNICAL SHEET WOODCHIPPERS

PERFORMANCE	M400	M400 HIGHWAY	M500	T500	H500	M600 GORILLA
Max. recommended diameter	100 mm	100 mm	120 mm	140 mm	140 mm	180 mm
Capacity chips (average)	8,33 m³/h	8,33 m³/h	8,33 m³/h	8,33 m³/h	8,33 m³/h	17,65 m³/h
Processing speed (average)	25m/min	25 m/min	25m/min	25m/min	25m/min	14m/min

### **ENGINE**

			1		:	la
Drive	Petrol engine	Petrol engine	Petrol engine	PTO shaft tractor	Hydraulic	Petrol engine - EFI (electric fuel injection)
Brand & type	Honda GX630 2 cyl. 4-stroke	Honda GX630 2 cyl. 4-stroke	Honda iGX800 2 cyl. 4-stroke	/	/	B&S Vanguard - 2 cyl. 4-stroke
Power	15,5 kW (20 Hp)	15,5 kW (20 Hp)	18,6 kW (24,9 Hp)		Min. 24 Hp (L x BAR / 450 = Hp)	29,9 kW (40 Hp)
Consumption	6 L/h	6 L/h	7,1 L/h	/	/	8,9 L/h
Noise level Lw(A)	116 dB(A)	116 dB(A)	108 dB(A)	/	/	/ dB(A)
RPM	3600	/	3600	540 - 750	/	3600

### **DESIGN**

Dimensions (LxWxH mm)	2080 x 720 x 1400	2540 x 1480 x 1685 (incl trailer)	2020 x 720 x 1450	1300 x 890 x 1620	1300 x 890 x 1620	2530 x 800 x 1961 transport position
Feed height	880 mm	1165 mm (trailer level)	850 mm	830 mm	830 mm	890 mm
Weight	220 kg	325 kg (incl trailer / gross tonnage 750kg)	315 kg	240 kg	302 kg	855 kg
Chipper Technology	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™	Jo Beau® drumtechnology™
Chassis / Infeed hopper / Ejector chute	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel
Knives	2 hardened, reversable blades	2 hardened, reversable blades	2 hardened, reversable blades	2 hardened, reversable blades	2 hardened, reversable blades	2 hardened, reversable blades
Counter blade	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)	1 (4x reversable)
Drum transmission	Double industrial v-belt	Double industrial v-belt	Triple industrial V-belt	Double industrial v-belt	Double industrial v-belt	Double industrial v-belt
Feed intake opening (LxW)	690 x 520 mm	690 x 520 mm	660 x 520 mm	790 x 520 mm	790 x 520 mm	680 x 620 mm
Drive traction	/	Trailer	Hydrostatic > 0-3,5 km/h	/	/	Hydraulic
Fuel supply	Removable metal jerrycan 10L	Removable metal jerrycan 10L	Removable metal jerrycan 20L	/	/	Removable metal jerrycan 20L
Brakes	Manual	Trailer	Hydrostatic	/	/	Hydraulic

32 | CATALOGUE JO BEAU | 33

# **TECHNICAL SHEET WOODCHIPPERS**

<u>OPTIONS</u>	M200	E200	M300	E300	T300	R300	H300	W300	M400	M400 HIGHWAY	M500	T500	H500	M600 GORILLA
Hour meter	1		1											
Protection guards	✓	✓	1	1	/	1	1		1	/	1	1	1	<b>✓</b>
Detachable piece chute	1	✓	1	1	1	1	1		/	/	1	1	1	<b>✓</b>
Lifting eye-kit	1	1	1	1										
Front swivel wheel	1	1	1	1										
Pullbar	1	1	1	1										
Leakproof tires	1	1	1	1					1					
Rotating chute			1	1	1	1	1							
High rotating chute			1	1	1	1	1		1	1	1	1	1	1
Liftingbar			1	1										
Conversion kit tracked base			1											
Lifting kit trailer					1							1		
Leakproof swivel tires									1		1			
Work light set - LED									1	1	1			1
Double wheels											1			
Winch or towbar ball														1
Charging tongs														/



















Hour meter Protection guards



Detachable piece chute



Lifting eye-kit Front swivel wheel

Pullbar

Leakproof tires

Rotating chute













Liftingbar High rotating chute

Conversion kit tracked base

Lifting kit trailer

Leakproof swivel tires

Work light set

Double wheels

34 CATALOGUE JO BEAU CATALOGUE JO BEAU 35

# **TECHNICAL SHEET STUMPGRINDERS**

PERFORMANCE	B13-90	B24-100	B31-110	B37-110(RC)
Max. working width	900 mm	1000 mm	1100 mm	1100 mm
Max. grinding depth	350 - 400 mm	450 mm	500 mm	500 mm
Max. grinding height	350 - 400 mm	350 mm	500 mm	500 mm
Control	Manual	Semi-automatic	Full-automatic	Full-automatic

### **ENGINE**

Drive	Petrol engine	Petrol engine	Petrol engine	Petrol engine - EFI (electric fuel injection)
Brand & type	Honda GX390 1 cyl. 4-stroke	Honda GX690 2 cyl. 4-stroke	B&S Vanguard - 2 cyl. 4-stroke	B&S Vanguard - 2 cyl. 4-stroke
Power	8,7 kW (13 Hp)	16,5 kW (24 Hp)	23,1 kW (31 Hp)	27,6 kW (37 Hp)
Consumption	3,5 L/h	6,7 L/h	8,9 L/h	8,9 L/h
Noise level Lw(A)	100 dB(A)	106 dB(A)	105 dB(A)	105 dB(A)
RPM	3600	3600	3600	3600

### **DESIGN**

Dimensions (LxWxH)	2100 x 770 x 1200	2340 x 640 x 1050 (1080 mm wide incl double wheels)	1900 x 740 x 1500	1900 x 740 x 1500
Weight	155 kg	330 kg	610 kg	610 kg
Drive traction	/	Hydraulic > 0-3 km/h	Hydraulic > 0-1,5 km/h	Hydraulic > 0-1,5 km/h
Fuel supply	/	Removable metal jerrycan 10L	Removable metal jerrycan 20L	Removable metal jerrycan 20L
Brakes	Two independent brakes	Hydraulic	Option	Option
Chassis	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel
Grinding Technology	Jo Beau® grindertechnology™	Jo Beau® grindertechnology™	Jo Beau® grindertechnology™	Jo Beau® grindertechnology™
Grindteeth	Greenteeth® 700, 8 pcs	Greenteeth® 700, 8 pcs	Greenteeth® 700, 12 pcs	Greenteeth® 700, 12 pcs
Grindwheel diameter	340 mm	420 mm	420 mm	475 mm
Disc transmission	Industrial Powerbelt	Double industrial V-belt	Triple industrial V-belt	Triple industrial V-belt
Foldable and height-adjustable handlebar	Standard	Standard - electric	Standard - left-right	Standard - left-right

# **TECHNICAL SHEET SCARIFIERS**

PERFORMANCE	V460
Working width	460 mm
Working depth	Max. 10 mm

### **ENGINE**

Drive	Petrol engine
Brand & type	Honda GX200 1 cyl. 4-stroke
Power	4 Kw (5,5 Hp)
Consumption	1,7 L/h
Noise level Lw(A)	92 dB(A)
RPM	3600

### DESIGN

— DESIGN	
Dimensions (LxWxH mm)	1210 x 790 x 970
Weight	59 kg
Scarifier Technology	Jo Beau® scarifytechnology™
Chassis	Powder-coated steel
Knives	Greenknives® - 4 times rotatable
Fixe knives (number / thickness)	21 / 3 mm
Moveable knives (number / thickness)	21 / 3 mm
Knife transmission	Double industrial v-belt
Foldable handlebar	Standard

# **TECHNICAL SHEET STUMPGRINDERS**

OPTIONS	B13-90	B24-100	B31-110	B37-110(RC)
Hour meter	✓			
Protection guard	1	1	1	/
Pullbar	1			
Leakproof tires	1			
Mudguards	1		1	1
Work light set - LED		1	1	<b>✓</b>
Double wheels		1		
Scraperplate			1	1
Brakes			1	<b>✓</b>

# **TECHNICAL SHEET SCARIFIERS**

OPTIONS	V460	
Hour meter	/	
Wheel fixation bar	/	



Hour meter





Protection guard



Pullbar



Leakproof tires



Mudguards



Work light set



Double wheels



Mudguards



Scraperplate

Wheel fixation bar

CATALOGUE JO BEAU 39 38 CATALOGUE JO BEAU



